

**Shrimp Survey of the Strait of Georgia
June 1982**

J. A. Boutillier

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

June 1984

**Canadian Manuscript Report of
Fisheries and Aquatic Sciences
No. 1762**

Canadian Manuscript Report of Fisheries and Aquatic Sciences

These reports contain scientific and technical information that represents an important contribution to existing knowledge but which for some reason may not be appropriate for primary scientific (i.e. *Journal*) publication. They differ from Technical Reports in terms of subject scope and potential audience: Manuscript Reports deal primarily with national or regional problems and distribution is generally restricted to institutions or individuals located in particular regions of Canada. No restriction is placed on subject matter and the series reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Manuscript Reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report will be abstracted by *Aquatic Sciences and Fisheries Abstracts* and will be indexed annually in the Department's index to scientific and technical publications.

Numbers 1-900 in this series were issued as Manuscript Reports (Biological Series) of the Biological Board of Canada, and subsequent to 1937 when the name of the Board was changed by Act of Parliament, as Manuscript Reports (Biological Series) of the Fisheries Research Board of Canada. Numbers 901-1425 were issued as Manuscript Reports of the Fisheries Research Board of Canada. Numbers 1426-1550 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Manuscript Reports. The current series name was changed with report number 1551.

Details on the availability of Manuscript Reports in hard copy may be obtained from the issuing establishment indicated on the front cover.

Rapport manuscrit canadien des sciences halieutiques et aquatiques

Ces rapports contiennent des renseignements scientifiques et techniques qui constituent une contribution importante aux connaissances actuelles mais qui, pour une raison ou pour une autre, ne semblent pas appropriés pour la publication dans un journal scientifique. Ils se distinguent des Rapports techniques par la portée du sujet et le lecteur visé; en effet, ils s'attachent principalement à des problèmes d'ordre national ou régional et la distribution en est généralement limitée aux organismes et aux personnes de régions particulières du Canada. Il n'y a aucune restriction quant au sujet; de fait, la série reflète la vaste gamme des intérêts et des politiques du Ministère des Pêches et des Océans, notamment gestion des pêches; techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les Manuscrits peuvent être considérés comme des publications complètes. Le titre exact paraît au haut du résumé de chaque rapport, qui sera publié dans la revue *Aquatic Sciences and Fisheries Abstracts* et qui figurera dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros de 1 à 900 de cette série ont été publiés à titre de manuscrits (Série biologique) de l'Office de biologie du Canada, et après le changement de la désignation de cet organisme par décret du Parlement, en 1937, ont été classés en tant que manuscrits (Série biologique) de l'Office des recherches sur les pêcheries du Canada. Les numéros allant de 901 à 1425 ont été publiés à titre de manuscrits de l'Office des recherches sur les pêcheries du Canada. Les numéros 1426 à 1550 ont été publiés à titre de Rapport manuscrits du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été changé à partir du rapport numéro 1551.

La page couverture porte le nom de l'établissement auteur où l'on peut se procurer les rapports sous couverture cartonnée.

Canadian Manuscript Report of
Fisheries and Aquatic Sciences No. 1762

June 1984

SHRIMP SURVEY OF THE STRAIT OF GEORGIA

JUNE 1982

by

J. A. Moutillier

Department of Fisheries and Oceans

Fisheries Research Branch

Pacific Biological Station

Nanaimo, British Columbia V9R 5K6

(c)Minister of Supply and Services Canada 1984

Cat. No. Fs 97-4/1762E

ISSN 0706-6473

Correct citation for this publication:

Boutillier, J. A. 1984. Shrimp survey of the Strait of Georgia. Can. MS
Rept. Fish. Aquat. Sci. 1762: 105 p.

ABSTRACT

Boutillier, J. A. 1984. Shrimp survey of the Strait of Georgia. Can. MS Rept. Fish. Aquat. Sci. 1762: 105 p.

A trawl survey of five shrimp fisheries in the Strait of Georgia was conducted aboard the research vessel G. B. Meed in June of 1982. The data collected during this survey provided information by species on: catch composition, distribution, sex composition, and length frequencies. Each fishery had a mixed catch composition of three or four of the following commercial shrimp species: Pandalopsis dispar, Pandalus platyceros, P. jordani, and P. borealis.

Key words: Shrimp, Strait of Georgia, Pandalopsis dispar, Pandalus platyceros, Pandalus jordani, Pandalus borealis.

RÉSUMÉ

Boutillier, J. A. 1984. Shrimp survey of the Strait of Georgia. Can. MS Rept. Fish. Aquat. Sci. 1762: 105 p.

En juin 1982, le personnel du G. B. Meed a effectué un levé au chalut de cinq zones de pêche de crevette dans le détroit de Géorgie. Les données recueillies ont permis d'obtenir, pour chaque espèce, de l'information sur la composition des prises, la répartition, le rapport des sexes et la fréquence des longueurs. Les prises de chaque zone comprenaient trois ou quatre des espèces de crevette d'importance commerciale suivantes: Pandalopsis dispar, Pandalus platyceros, P. jordani et P. borealis.

Mots-clés: crevette, détroit de Géorgie, Pandalopsis dispar, Pandalus platyceros, Pandalus jordani, Pandalus borealis

INTRODUCTION

In June of 1982, a trawl survey aboard the G. B. Reed was carried out to establish a preliminary biological data base for the shrimp trawl fisheries in the Strait of Georgia region (see Fig. 1). The data base was intended to provide information on shrimp stocks in regard to: species composition, sex and length frequencies, distribution, and abundance. In addition to the biological data, physical oceanographic information, in the form of temperature profiles, was collected at a number of stations.

SURVEY METHODS AND FISHING GEAR

The trawl survey was carried out using a standard 18.6 meter high-rising, N.M.F.S. shrimp sampling trawl, which has been described by Boutillier (1977). Temperature observations were made using expendable bathythermographs (XBT's).

The trawl locations were set on a variety of grid patterns depending on the area of survey. Grid patterns were designed to have tows either cover the depth ranges in 18-37 m intervals or equi-distant intervals. In some areas, the patterns were altered if: the area of operations was congested with traffic; bad bottom was encountered; or the area was too small to continue any systematic survey pattern.

Tows were scheduled for 30 minutes although there was considerable variation caused by traffic, and bad bottom. The distance travelled was calculated for each tow and is presented in Appendix Table 1. Upon completion of each tow, the large fish were removed from the catch, identified, and weighed. The remaining invertebrates, and small fish were put into tubs and weighed. One tub was then sorted into shrimp by species and scrap, the percentage of each species of shrimp by weight was determined, and a total weight of shrimp was extrapolated for the tow. A sample of each species of shrimp was collected and analyzed to calculate the number of shrimp per kilogram, the sex composition and the length frequency distribution.

RESULTS

Within Georgia Strait five areas were surveyed:

- 1) The Vancouver area - Statistical area 28-7; 29-9 and 10. This included tows in Burrard Inlet and on Sturgeon Bank.

- 2) The Sechelt-Howe Sound area - Statistical area 29-1, 2 and 3 and 28-1: this included tows in the Strait of Georgia from Sechelt to Bowen Island and in Howe Sound between Keats and Gambier Islands.
- 3) The Comox-Qualicum Beach area - Statistical area 14: this included tows in Comox gully and in the Strait of Georgia off Hornby Island, French Creek, and Qualicum Beach.
- 4) The Stuart Channel area - Statistical areas 17 - 4, 5, 6 and 9: this included tows from Dodd Narrows to Sansum Narrows.
- 5) The Northumberland Channel area - Statistical area 17-13: only one tow was made in this area off the west side of Gabriola Island.

Tow locations are shown in figures 2-20. Temperature data are presented in Appendix Table 1 associated with the appropriate tow location.

All the areas surveyed were mixed fisheries with 3 or 4 of the following commercial shrimp species found in each area (Table 1): Pandalopsis dispar (sidestripe), Pandalus platyceros (prawn), P. jordani (smooth pink), P. borealis (northern pink). The sex and size composition of the commercial shrimp for each area, are presented in Figures 21 to 36.

Table 1. Maximum catch (kg/h) of commercial shrimp species by area.

	<u>Pandalopsis</u> <u>dispar</u>	<u>Pandalus</u> <u>platyceros</u>	<u>P. jordani</u>	<u>P. borealis</u>
Vancouver	(Fig 21) 30	(Fig 22) 17	-	(Fig 23) 157
Sechelt- Howe Sound	(Fig 24) 22	(Fig 25) 12	(Fig 26) 14	(Fig 27) 36
Comox- Qualicum	(Fig 28) 16	(Fig 29) 10	(Fig 30) 92	-
Stuart Channel	(Fig 31) 156	6	(Fig 32) 36	(Fig 33) 176
Northumberland	(Fig 34) 14	2	-	(Fig 35) 4

Figures 36 to 39 graphically represent standardized catch curves of P. jordani, P. borealis and Pandalopsis dispar by depth interval for major areas sampled. (Northumberland was not included because only one tow was made in the area).

DISCUSSION

In general the survey provided base-line data for each shrimp fishery on mixed species composition, growth rates by species, and relative year-class strengths.

Estimates of abundance of the shrimp stocks using area swept calculations were not obtained because the areas of concentration were not delimited to any degree of confidence. Future stock assessment could investigate if seasonal variations in distribution would allow for a more accurate delimitation of stock concentrations.

An interesting aspect seen in the catch curve figures is the variation in depth distribution between species of shrimp and different areas.

Generally P. dispar were concentrated in the deep water tows i.e. > 110 m, while P. jordani were concentrated in the shallow water tows i.e. < 110 m. P. borealis, however, showed a variation in its depth preference which appeared to be correlated with the presence or absence of P. jordani. If P. jordani was found in the same area, then the P. borealis was concentrated in the deeper tows in association with P. dispar (see catch curves for Crofton and Sechelt). In areas where P. jordani was not present, then the P. borealis was concentrated in the shallow tows (see catch curves for Vancouver).

If a TAC type management approach was to develop for these shrimp fisheries, then the necessary parameter estimation procedures would require a more elaborate data base to be developed from further research cruises and port sampling programs. In particular a stock assessment procedure would have to be developed using either a more refined area swept survey or a log-book program.

ACKNOWLEDGMENTS

The author wishes to thank the captain and crew of the G.B. REED; Steve Head and Debbie Marback provided technical assistance at sea; Debbie Marback and Laurie MacKie drafted the figures.

LITERATURE CITED

- Boutillier, J. A., A. N. Yates, and T. H. Butler. 1977. G.B. Reed Shrimp Cruise 77-S-1 May 3-14, 1977. Fish. Mar. Serv. Data Report 37: 42 p.



Fig. 1. Survey sites in Georgia Strait.




Fig. 2. Trawl tows in Burrard Inlet.






Fig. 3. Trawl tows in Burrard Inlet.




Fig. 4. Trawl tows on Sturgeon Banks.

1964-1965



1964-1965




Fig. 5. Trawl tows on Sturgeon Banks.






Fig. 6. Trawl tows off Sechart.






Fig. 7. Trawl tows in Howe Sound.






Fig. 8. Trawl tows off Sechart.






Fig. 9. Trawl tows off Bowen Island.




Fig. 10. Trawl tow off Passage Island.




Fig. 11. Trawl tows off Comox.






Fig. 12. Trawl tows off Comox.



Page 2 of 2




Fig. 13. Trawl tows off Hornby Island.



THE FOLLOWING ARE THE RESULTS OF THE SURVEY




Fig. 14. Trawl tows off French Creek.



1975 7/24

1975 7/24 1975 7/24 1975 7/24




Fig. 15. Trawl tows off Qualicum.




Fig. 16. Trawl tow in Northumberland Channel.



THE UNIVERSITY OF CHICAGO PRESS




Fig. 17. Trawl tows in Stuart Channel.







Fig. 18. Trawl tows in Stuart Channel.






Fig. 19. Trawl tow in Stuart Channel.






Fig. 20. Trawl tows in Stuart Channel.






Fig. 21. Length frequency histogram of sidestripe shrimp in the Vancouver area.




Fig. 22. Length frequency histogram of prawns in the Vancouver area.






Fig. 23. Length frequency histogram of northern pink shrimp in the Vancouver area.




Fig. 24. Length frequency histogram of sidestripe shrimp in the Sechelt and Howe Sound area.




Fig. 25. Length frequency histogram of prawns in the Sechelt and Howe Sound area.




Fig. 26. Length frequency histogram of smooth pink shrimp in the Sechelt and Howe Sound area.




Fig. 27. Length frequency histogram of northern pink shrimp in the Sechelt and Howe Sound area.






Fig. 28. Length frequency histogram of sidestripe shrimp in the Comox area.






Fig. 29. Length frequency histogram of prawns in the Comox area.




Fig. 30. Length frequency histogram of smooth pink shrimp in the Comox area.




Fig. 31. Length frequency histogram of sidestripe shrimp in the Stuart Channel area.






Fig. 32. Length frequency histogram of smooth pink shrimp in the Stuart Channel area.




Fig. 33. Length frequency histogram of northern pink shrimp in the Stuart Channel area.






Fig. 34. Length frequency histogram of sidestripe shrimp in the Northumberland Channel area.




Fig. 35. Length frequency histogram of northern pink shrimp in the Northumberland Channel area.

Fig. 36. Catch curve for the Crofton, Stuart Channel area.

Fig. 37. Catch curve for Vancouver area.






Fig. 38. Catch curve for the Sechelt - Howe Sound area.

Fig. 39. Catch curve for the Comox area.



APPENDIX 1

Appendix table 1. G.B. NEED shrimp survey June 1982 Georgia Strait. See footnote at end of table for explanation of terms.

HAUL NO. DATE AREA	1 JUNE 2 BRIN	2 JUNE 2 BRIN	3 JUNE 2 BRIN	4 JUNE 2 BRIN	5 JUNE 2 BRIN	6 JUNE 2 BRIN
TIME START (PST)	755	854	1115	1232	1400	1603
DURATION(HR.MIN)	.21	.29	.30	.25	.30	.32
START N. LAT. (DEG) (MIN)	49 19.4	49 19.4	49 19.3	49 19.3	49 19.3	49 19.4
W. LONG. (DEG) (MIN)	123 13.8	123 14.6	123 15.4	123 16.7	123 16.1	123 16.5
DIRECTION (DEG.TRUE)	215	170	0	110	98	80
FINISH N. LAT. (DEG) (MIN)	49 18.4	49 18.1	49 18.5	49 18.9	49 18.4	49 19.5
W.LONG. (DEG) (MIN)	123 14.7	123 15.7	123 15.3	123 14.8	123 15.4	123 14.6
DISTANCE NAUT. MI.	1.1	1.4	1.4	1.3	1.5	1.2
DEPTH (FATHOMS)	35- 42	46- 46	54- 49	62- 44	60- 50	47- 47
SEE FIGURE NO.	2	2	2	2	2	2
SURFACE TEMP(DEG.C)	13.3	..	..	12.7	..	..
BOTTOM TEMP.(DEG.C)	8.6	..	..	8.5	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	2	111	117	38	46	161
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	1	2	3	4	5	6
DATE	JUNE 2	JUNE 2	JUNE 2	JUNE 2	JUNE 2	JUNE 2
AREA	BRIN	BRIN	BRIN	BRIN	BRIN	BRIN
CATCH TOTAL (KG)	2	111	117	38	46	161
SHRIMP						
PINK (BOREALIS)	..	16	7	1	6	22
NUM/KG	..	252	216	244	244	324
PINK (JORDANI)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PRAWN	..	T	T	T	1	T
NUM/KG	..	37	47	..	33	..
SIDESTRIPE	..	8	6	1	4	9
NUM/KG	..	104	96	95	98	72
OTHER SHRIMP	..	T	..	..	..	..
INVERTEBRATES						
JELLYFISH	2	1	..	..	T	..
SQUID	..	T	1	T	..	1
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	..	..	T	..	T	T
FLATFISH						
ENGLISH SOLE	..	..	..	..	..	..
FLATHEAD SOLE	..	..	..	..	..	..
SLENDER SOLE	..	1	T	T	T	2
OTHERS	..	T	T	..	T	1
ROCKFISH						
S. DIPLOPROA	..	..	..	..	..	..
OTHERS	..	..	1	T	1	3
OTHER ROUND FISH						
HAKE	T	24	26	11	11	49
HERRING	..	..	..	..	T	..
LINGCOD	..	2	2	..	..	5
MIDSHIPMAN	..	2	2	T	2	1
PACIFIC COD	..	5	11	8	..	2
WALLEYE POLLOCK	..	5	3	2	..	..
OTHERS	..	T	1	T	T	T
SELACHI						
DOGFISH	..	41	15	5	13	19
RATFISH	..	6	42	10	8	46
SKATES	..	..	..	..	..	1
OTHERS	..	T	T	..	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	7 JUNE 2 BRIN	8 JUNE 3 BRIN	9 JUNE 3 BRIN	10 JUNE 3 BRIN	11 JUNE 3 BRIN	12 JUNE 3 BRIN
TIME START (PST)	1717	816	947	1126	1242	1352
DURATION(HR.MIN)	.27	.30	.28	.31	.30	.29
START N. LAT. (DEG) (MIN)	49 19.5	49 18.3	49 18.6	49 18.0	49 18.3	49 17.9
W. LONG. (DEG) (MIN)	123 14.4	123 16.1	123 16.2	123 15.6	123 15.1	123 15.3
DIRECTION (DEG.TRUE)	180	240	232	252	250	256
FINISH N. LAT. (DEG) (MIN)	49 18.3	49 17.8	49 18.0	49 17.6	49 17.9	49 17.6
W.LONG. (DEG) (MIN)	123 14.9	123 17.9	123 17.7	123 17.4	123 17.1	123 17.2
DISTANCE NAUT. MI.	1.5	1.2	1.2	1.2	1.2	1.3
DEPTH (FATHOMS)	42- 44	56- 63	60- 65	42- 42	45- 55	34- 37
SEE FIGURE NO.	2	3	3	3	3	3
SURFACE TEMP(DEG.C)	..	13.1	..	..	..	..
BOTTOM TEMP.(DEG.C)	..	8.6	..	..	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	48	124	191	82	47	119
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO. DATE AREA CATCH TOTAL (KG)	7 JUNE 2 BRIN 48	8 JUNE 3 BRIN 124	9 JUNE 3 BRIN 191	10 JUNE 3 BRIN 82	11 JUNE 3 BRIN 47	12 JUNE 3 BRIN 119
SHRIMP						
PINK (BOREALIS)	15	3	1	34	7	76
NUM/KG	236	224	..	236	224	244
PINK (JORDANI)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PRAWN	..	4	3	3	T	8
NUM/KG	..	29	28	35	..	37
SIDE STRIPE	1	15	11	3	4	1
NUM/KG	84	76	94	74	102	80
OTHER SHRIMP	..	..	..	..	..	T
INVERTEBRATES						
JELLYFISH	..	..	..	..	1	..
SQUID	..	1	1	..	..	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	1	1
OTHERS	..	..	T	T	..	3
FLATFISH						
ENGLISH SOLE	..	..	..	..	..	..
FLATHEAD SOLE	..	..	..	..	..	..
SLENDER SOLE	T	T	6	..	1	T
OTHERS	1	T	2	2	T	2
ROCKFISH						
S. DIPLOPOUA	..	..	..	..	..	..
OTHERS	..	14	4	T	1	4
OTHER ROUND FISH						
HAKE	13	24	33	8	5	..
HERRING	..	..	..	..	..	..
LINGCOD	..	3	..	..	..	T
MIDSHIPMAN	T	T	T	3	1	1
PACIFIC COD	..	4	4	..	6	..
WALLEYE POLLOCK	T	5	1	2	9	..
OTHERS	T	1	2	T	T	T
SELACHI						
DOGFISH	18	17	35	22	10	15
RAIFISH	T	33	84	5	1	7
SKATES	..	..	3	..	..	1
OTHERS	..	..	1	..	..	..

Appendix table 1 (cont'd)

HAIL NO. DATE AREA	13 JUNE 3 BRIN	14 JUNE 3 BRIN	15 JUNE 4 SRBK	16 JUNE 4 SRBK	17 JUNE 4 SRBK	18 JUNE 4 SRBK
TIME START (PST)	1604	1723	814	931	1114	1220
DURATION(HR.MIN)	.30	.04	.29	.29	.24	.29
START N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	17.8	18.9	14.9	15.2	15.0	15.1
W. LONG. (DEG)	123	123	123	123	123	123
(MIN)	15.3	13.3	18.6	18.3	17.6	17.5
DIRECTION (DEG.TRUE)	258	240	190	200	189	190
FINISH N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	17.4	18.8	13.5	13.9	13.8	13.7
W.LONG. (DEG)	123	123	123	123	123	123
(MIN)	17.2	13.6	18.9	18.5	18.0	17.7
DISTANCE NAUT. MI.	1.3	.2	1.4	1.4	1.2	1.4
DEPTH (FATHOMS)	30- 30	25- 27	84- 83	64- 77	42- 60	20- 29
SEE FIGURE NO.	3	2	4	4	4	4
SURFACE TEMP(DEG.C)	15.2	..	13.3	14.4	..	15.2
BOTTOM TEMP.(DEG.C)	8.6	..	8.8	8.8	..	9.2
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	94	17	253	59	21	2
REMARKS	USABLE	BAD BOTTOM	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	13	14	15	16	17	18
DATE	JUNE 3	JUNE 3	JUNE 4	JUNE 4	JUNE 4	JUNE 4
AREA	BRIN	BRIN	SRUK	SRUK	SRUK	SRUK
CATCH TOTAL (KG)	94	17	253	59	21	2
SHRIMP						
PINK (BOREALIS)	52	10	1	1	5	T
NUM/KG	288	368	268	236	230	..
PINK (JORDANI)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PRAWN	1	..	1	1	T	..
NUM/KG	33	..	44	38	..	..
SIDESTRIPE	..	..	6	3	1	..
NUM/KG	..	..	83	93	72	..
OTHER SHRIMP	T	..	T	..	..	..
INVERTEBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	..	..	1	1	T	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	2	..	..	..
OTHERS	T	T	..	T	..	..
FLATFISH						
ENGLISH SOLE	..	..	1	T	..	..
FLATHEAD SOLE	..	..	T	T	..	..
SLENDER SOLE	..	..	11	4	T	..
OTHERS	2	T	2	1	..	T
ROCKFISH						
S. DIPLOPOMA	..	..	..	..	..	..
OTHERS	1	..	11	2	T	..
OTHER ROUND FISH						
HAKE	14	1	19	11	5	..
HERRING	..	..	..	..	..	..
LINGCOD	T	..	2	..	..	..
MIDSHIPMAN	..	T	T	..	..	T
PACIFIC COD	2	..	..	3	3	..
WALLEYE POLLOCK	1	1	2	1	2	1
OTHERS	T	T	T	1	T	T
SELACHI						
DOG FISH	13	5	62	16	3	1
RAT FISH	8	..	131	14	2	..
SKATES	..	..	..	..	..	..
OTHERS	..	..	1	T	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	19 JUNE 4 SRHK	20 JUNE 4 SRHK	21 JUNE 4 SRHK	22 JUNE 4 SRHK	23 JUNE 5 SRHK	24 JUNE 5 SRHK
TIME START (PST)	1330	1445	1608	1804	828	940
DURATION(HR.MIN)	.30	.17	.29	.29	.29	.28
START N. LAT. (DEG) (MIN)	49 15.2	49 14.8	49 15.0	49 17.8	49 10.5	49 10.9
W. LONG. (DEG) (MIN)	123 19.3	123 20.5	123 18.1	123 15.1	123 18.5	123 17.8
DIRECTION (DEG.TRUE)	190	200	180	250	190	180
FINISH N. LAT. (DEG) (MIN)	49 13.7	49 14.1	49 13.7	49 17.1	49 8.8	49 9.5
W.LONG. (DEG) (MIN)	123 19.5	123 20.7	123 17.9	123 17.3	123 19.2	123 17.8
DISTANCE NAUT. MI.	1.4	.8	1.3	1.6	1.8	1.6
DEPTH (FATHOMS)	96- 98	115-120	60- 57	25- 23	60- 66	31- 25
SEE FIGURE NO.	4	4	4	3	5	5
SURFACE TEMP.(DEG.C)	14.7	15.3	..	..	12.7	..
BOTTOM TEMP.(DEG.C)	8.8	8.9	..	..	9.0	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	275	157	209	1	132	8
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO. DATE AREA CATCH TOTAL (KG)	19 JUNE 4 SRBK 275	20 JUNE 4 SRBK 157	21 JUNE 4 SRBK 209	22 JUNE 4 SRBK 1	23 JUNE 5 SRBK 132	24 JUNE 5 SRBK 8
SHRIMP						
PINK (BOREALIS)	T	..	4	T	T	T
NUM/KG	..	..	248	..	..	..
PINK (JORDANI)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PRAWN	1	T	T	..	..	..
NUM/KG	43	32	50	..	..	..
SIDESTRIPE	6	3	6	..	T	..
NUM/KG	88	84	87	..	65	..
OTHER SHRIMP	..	..	..	..	..	..
INVERTBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	1	T	..	T	..	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	5	..	..	..
OTHERS	T	..	1	..	..	..
FLATFISH						
ENGLISH SOLE	25	6	..	..	..	..
FLATHEAD SOLE	..	..	..	..	..	T
SLENDER SOLE	3	T	2	..	..	..
OTHERS	..	T	8	..	..	T
ROCKFISH						
S. DIPLOPROA	..	..	..	..	..	..
OTHERS	T	T	5	..	..	..
OTHER ROUND FISH						
HAKE	23	9	60	1	48	2
HERRING	..	..	..	..	..	..
LINGCOD	..	..	..	..	..	..
MIDSHIPMAN	..	..	1	..	..	..
PACIFIC COD	..	1	2	..	12	..
WALLEYE POLLOCK	T	..	5	T	..	..
OTHERS	T	T	T	T	..	T
SELACHI						
DOGFISH	49	27	100	..	68	5
RATFISH	164	111	2	..	2	1
SKATES	..	T	8	..	..	..
OTHERS	3	T	T	..	2	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	25 JUNE 5 SRBK	26 JUNE 5 SRBK	27 JUNE 5 SRBK	28 JUNE 6 SEPI	29 JUNE 6 SEPI	30 JUNE 6 SEPI
TIME START (PST)	1112	1211	1352	835	947	1115
DURATION(HR.MIN)	.25	.34	.28	.30	.30	.30
START N. LAT. (DEG) (MIN)	49 11.0	49 10.9	49 11.6	49 24.2	49 24.3	49 26.7
W. LONG. (DEG) (MIN)	123 17.9	123 19.5	123 20.3	123 37.3	123 41.0	123 45.2
DIRECTION (DEG.TRUE)	180	181	187	120	108	145
FINISH N. LAT. (DEG) (MIN)	49 9.6	49 9.4	49 10.1	49 23.5	49 24.0	49 25.6
W.LONG. (DEG) (MIN)	123 18.1	123 19.4	123 20.6	123 35.6	123 39.3	123 44.0
DISTANCE NAUT. MI.	1.4	1.5	1.5	1.4	1.2	1.5
DEPTH (FATHOMS)	44- 42	81- 70	98- 98	45- 50	90- 86	70- 81
SEE FIGURE NO.	5	5	5	8	6	6
SURFACE TEMP(DEG.C)	12.3	..	..	14.7	..	..
BOTTOM TEMP.(DEG.C)	9.5	..	..	8.5	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	147	349	357	60	106	73
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	25	26	27	28	29	30
DATE	JUNE 5	JUNE 5	JUNE 5	JUNE 6	JUNE 6	JUNE 6
AREA	SRBK	SRBK	SRBK	SEPI	SEPI	SEPI
CATCH TOTAL (KG)	147	349	357	60	106	73
SHRIMP						
PINK (BOREALIS)	5	T	..	..	4	4
NUM/KG	162	..	..	..	246	276
PINK (JORDANI)	..	..	..	1	..	..
NUM/KG	..	..	..	152	..	..
PRAWN	..	..	T	6	T	T
NUM/KG	..	..	..	31	..	..
SIDESTRIPE	1	3	1	T	11	5
NUM/KG	87	81	78	..	112	72
OTHER SHRIMP	T	T	T	..	2	T
INVERTEBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	T	T	..	..	2	..
HEART URCHIN	..	..	..	..	T	T
C. MAGISTER	1	..	T	T	..	..
OTHERS	..	..	T	1	..	..
FLATFISH						
ENGLISH SOLE	T	1	2	..	..	..
FLATHEAD SOLE	1	T	..	..	..	..
SLENDER SOLE	3	8	5	1	2	T
OTHERS	2	3	2	1	1	..
ROCKFISH						
S. DIPLOPROA	..	..	..	..	..	2
OTHERS	..	12	2	19	4	1
OTHER ROUND FISH						
HAKE	28	44	48	19	34	26
HERRING	..	..	..	T	..	..
LINGCOD	..	..	..	..	..	..
MIDSHIPMAN	1	..	..	2	T	..
PACIFIC COD	..	2	3	..	1	4
WALLEYE POLLUCK	9	3	2	1	..	..
OTHERS	T	..	1	..	T	T
SELACHI						
DOGFISH	82	95	78	6	13	15
RATFISH	6	176	210	3	31	16
SKATES	7	..	..	..	..	..
OTHERS	1	2	3	..	1	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	31 JUNE 6 SEPI	32 JUNE 6 SEPI	33 JUNE 6 SEPI	34 JUNE 6 SEPI	35 JUNE 6 SEPI	36 JUNE 7 HSKI
TIME START (PST)	1221	1328	1444	1613	1720	754
DURATION(HR.MIN)	.31	.32	.29	.30	.29	.30
START N. LAT. (DEG) (MIN)	49 24.5	49 22.3	49 23.1	49 22.8	49 22.5	49 24.1
W. LONG. (DEG) (MIN)	123 44.7	123 45.0	123 42.3	123 38.3	123 33.6	123 29.3
DIRECTION (DEG.TRUE)	130	122	130	130	125	32
FINISH N. LAT. (DEG) (MIN)	49 23.6	49 21.7	49 22.3	49 22.1	49 21.9	49 25.3
W.LONG. (DEG) (MIN)	123 43.4	123 42.9	123 41.0	123 36.8	123 32.2	123 28.2
DISTANCE NAUT. MI.	1.3	1.5	1.2	1.2	1.1	1.4
DEPTH (FATHOMS)	95- 86	104-109	80- 74	98- 99	75- 97	44- 52
SEE FIGURE NO.	6	6	6	8	8	7
SURFACE TEMP(DEG.C)	..	13.9	..	..	..	14.6
BOTTOM TEMP.(DEG.C)	..	8.8	..	..	..	8.4
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	96	160	104	44	128	148
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	31	32	33	34	35	36
DATE	JUNE 6	JUNE 6	JUNE 6	JUNE 6	JUNE 6	JUNE 7
AREA	SEPI	SEPI	SEPI	SEPI	SEPI	HSKI
CATCH TOTAL (KG)	96	160	104	44	128	148
SHRIMP						
PINK (BOREALIS)	T	..	4	T	1	..
NUM/KG	..	..	280	..	268	..
PINK (JORDANI)	..	..	..	..	..	7
NUM/KG	..	..	..	..	..	100
PRAWN	T	1	1	T	..	T
NUM/KG	..	28	31	..	..	..
SIDESTRIPE	4	2	3	3	4	..
NUM/KG	66	64	70	93	86	..
OTHER SHRIMP	..	2	T	..	..	..
INVERTBRATES						
JELLYFISH	..	..	..	..	..	T
SQUID	2	2	..	..	1	..
HEART URCHIN	..	..	..	2	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	T	T	1	1	T	T
FLATFISH						
ENGLISH SOLE	..	T	..	..	..	..
FLATHEAD SOLE	..	..	..	..	..	..
SLENDER SOLE	T	..	1	..	T	..
OTHERS	..	2	..	1	2	..
ROCKFISH						
S. DIPLOPROA	15	T	1	..	..	..
OTHERS	7	..	33	2	3	2
OTHER ROUND FISH						
HAKE	36	96	5	18	55	130
HERRING	..	..	..	..	..	..
LINGCOD	..	..	..	..	5	..
MIDSHIPMAN	..	..	..	..	..	..
PACIFIC COD	..	..	..	..	..	..
WALLEYE POLLOCK	..	1	T	1	..	..
OTHERS	1	T	..	T	T	..
SELACHI						
DOGFISH	6	34	47	9	18	9
KATFISH	24	20	8	7	28	..
SKATES	..	..	..	..	10	..
OTHERS	1	T	..	T	1	..

Appendix table 1 (cont'd)

HAUL NO.	37	38	39	40	41	42
DATE	JUNE 7	JUNE 7	JUNE 7	JUNE 7	JUNE 7	JUNE 7
AREA	HSKI	HSKI	SEPI	SEPI	SEPI	SEPI
TIME START (PST)	858	955	1157	1324	1429	1603
DURATION(HR.MIN)	.27	.27	.30	.30	.29	.30
START N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	25.1	24.9	20.7	20.8	19.7	19.1
W. LONG. (DEG)	123	123	123	123	123	123
(MIN)	27.6	25.3	37.8	33.5	29.1	17.6
DIRECTION (DEG.TRUE)	58	22	115	122	130	262
FINISH N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	25.8	26.1	20.2	20.2	18.9	19.7
W.LONG. (DEG)	123	123	123	123	123	123
(MIN)	25.8	24.6	36.2	31.9	27.7	19.5
DISTANCE NAUT. MI.	1.4	1.2	1.5	1.3	1.3	1.4
DEPTH (FATHOMS)	54- 58	91- 99	68- 83	88- 86	100- 85	73- 69
SEE FIGURE NO.	7	7	8	8	9	10
SURFACE TEMP(DEG.C)	14.9	..	..	..	..	..
BOTTOM TEMP.(DEG.C)	8.5	..	..	..	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	155	83	556	96	83	26
REMARKS	USABLE	USABLE	SNAG USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	37	38	39	40	41	42
DATE	JUNE 7	JUNE 7	JUNE 7	JUNE 7	JUNE 7	JUNE 7
AREA	HSKI	HSKI	SEPI	SEPI	SEPI	SEPI
CATCH TOTAL (KG)	155	83	556	96	83	26
SHRIMP						
PINK (BOREALIS)	T	16	T	3	5	T
NUM/KG	..	388	..	380	400	..
PINK (JORDANI)	T	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PRAWN	2	T	..	T	T	T
NUM/KG	30	..	..	..	..	..
SIDESTRIPE	1	6	1	9	5	1
NUM/KG	56	138	79	86	88	70
OTHER SHRIMP	..	..	..	..	..	..
INVERTEBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	..	1	..	1	1	T
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	1	..	..	..
OTHERS	T	..	..	..	..	..
FLATFISH						
ENGLISH SOLE	..	..	..	T	..	..
FLATHEAD SOLE	..	..	..	T	..	..
SLENDER SOLE	..	..	..	T	1	..
OTHERS	..	..	T	T	1	..
ROCKFISH						
S. DIPLOPROA	..	8	42	..	1	1
OTHERS	26	3	11	T	1	T
OTHER ROUND FISH						
HAKE	100	8	20	46	14	8
HERRING	..	..	..	..	..	..
LINGCOD	..	..	..	..	..	..
MIDSHIPMAN	T	1	..	..	..	..
PACIFIC COD	6	..	..	2	1	..
WALLEYE POLLOCK	3	1	23	1	2	..
OTHERS	T	1	..	1	2	..
SELACHI						
DOGFISH	16	21	454	20	35	2
RATFISH	1	16	4	13	13	14
SKATES	..	..	..	..	1	..
OTHERS	..	1	..	..	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	43 JUNE 7 SEPI	44 JUNE 8 CBHI	45 JUNE 8 CBHI	46 JUNE 8 CBHI	47 JUNE 8 CBHI	48 JUNE 8 CBHI
TIME START (PST)	1735	725	836	1142	1305	1400
DURATION(HR.MIN)	.25	.30	.30	.22	.15	.15
START N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	19.0	38.0	38.3	38.6	38.7	39.5
W. LONG. (DEG)	123	124	124	124	124	124
(MIN)	24.6	49.5	49.3	49.1	48.6	48.7
DIRECTION (DEG.TRUE)	307	327	324	330	330	163
FINISH N. LAT. (DEG)	49	49	49	49	49	49
(MIN)	19.9	38.9	39.3	39.4	39.3	38.9
W.LONG. (DEG)	123	124	124	124	124	124
(MIN)	25.9	50.4	50.4	49.7	49.1	48.4
DISTANCE NAUT. MI.	1.3	1.1	1.2	.9	.7	.7
DEPTH (FATHOMS)	99- 74	32- 30	42- 36	45- 40	45- 44	43- 45
SEE FIGURE NO.	9	11	11	11	11	11
SURFACE TEMP(°C)	14.2	14.6	..	..	..	..
BOTTOM TEMP.(°C)	9.2	9.4	..	..	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	20	491	2982	2014	847	118
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	43	44	45	46	47	48
DATE	JUNE 7	JUNE 8	JUNE 8	JUNE 8	JUNE 8	JUNE 8
AREA	SEPI	CBHI	CBHI	CBHI	CBHI	CBHI
CATCH TOTAL (KG)	20	491	2982	2014	847	118
SHRIMP						
PINK (BOREALIS)	T	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PINK (JORDANI)	..	..	T	2	23	..
NUM/KG	..	..	..	121	124	..
PRAWN	..	..	T	..	..	..
NUM/KG	..	..	..	..	..	..
SIDESTRIPE	1	..	..	..	..	..
NUM/KG	112	..	..	..	..	..
OTHER SHRIMP	T	..	T	T	T	T
INVERTEBRATES						
JELLYFISH	T	..	..	..	..	..
SQUID	T	..	..	..	..	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	..	1	T	..	..	T
FLATFISH						
ENGLISH SOLE	..	8	10	1	..	T
FLATHEAD SOLE	..	3	6	2	..	..
SLENDER SOLE	..	2	35	27	45	22
OTHERS	..	..	..	..	..	T
ROCKFISH						
S. DIPLOPROMA	1	..	..	..	..	..
OTHERS	2	..	..	3	..	T
OTHER ROUND FISH						
HAKE	10	..	..	..	T	T
HERRING	..	6	12	101	22	24
LINGCOD	..	T	4	27	..	4
MIDSHIPMAN	T	3	T	1	2	2
PACIFIC COD	..	104	255	165	33	59
WALLEYE POLLOCK	1	..	..	..	T	..
OTHERS	..	7	10	9	..	7
SELACHI						
DOGFISH	2	350	2648	1634	722	..
RATFISH	3	2	2	..	..	..
SKATES	..	5	..	42	..	..
OTHERS	T	..	..	..	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	49 JUNE 8 CBHI	50 JUNE 8 CBHI	51 JUNE 8 CBHI	52 JUNE 9 CBHI	53 JUNE 9 CBHI	54 JUNE 9 CBHI
TIME START (PST)	1459	1612	1703	843	946	1109
DURATION(HR.MIN)	.01	.19	.30	.30	.10	.30
START N. LAT. (DEG) (MIN)	49 39.6	49 36.7	49 36.7	49 35.4	49 35.5	49 39.0
W. LONG. (DEG) (MIN)	124 48.3	124 48.4	124 47.6	124 45.8	124 44.9	124 45.1
DIRECTION (DEG.TRUE)	0	317	330	315	322	320
FINISH N. LAT. (DEG) (MIN)	49 39.6	49 37.4	49 38.0	49 36.2	49 35.8	49 39.9
W.LONG. (DEG) (MIN)	124 48.3	124 49.2	124 49.0	124 47.0	124 45.3	124 46.3
DISTANCE NAUT. MI.	..	.9	1.6	1.1	.4	1.2
DEPTH (FATHOMS)	28- 28	30- 32	50- 44	36- 36	43- 44	75- 65
SEE FIGURE NO.	-	12	12	12	12	12
SURFACE TEMP(DEG.C)	..	..	..	14.5	..	15.0
BOTTOM TEMP.(DEG.C)	..	..	..	9.3	..	8.5
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	16	15	939	1094	46	86
REMARKS	UNUSABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	49	50	51	52	53	54
DATE	JUNE 8	JUNE 8	JUNE 8	JUNE 9	JUNE 9	JUNE 9
AREA	CBHI	CBHI	CBHI	CBHI	CBHI	CBHI
CATCH TOTAL (KG)	16	15	939	1094	46	86
SHRIMP						
PINK (BUREALIS)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PINK (JORDANI)	..	..	14	..	..	4
NUM/KG	..	..	156	..	..	194
PRAWN	..	..	..	..	..	T
NUM/KG	..	..	..	..	..	53
SIDESTRIPE	..	..	..	..	..	T
NUM/KG	..	..	..	..	..	..
OTHER SHRIMP	..	..	1	T	..	T
INVERTBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	..	..	..	..	..	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	..	..	T	T	..	..
FLATFISH						
ENGLISH SOLE	T	T	..	6	..	1
FLATHEAD SOLE	..	..	1	T	..	..
SLENDER SOLE	..	..	76	7	..	1
OTHERS	..	..	..	..	..	1
ROCKFISH						
S. DIPLOPODA	..	..	..	..	..	..
OTHERS	..	..	2	8	3	..
OTHER ROUND FISH						
HAKE	..	..	8	T	..	17
HERRING	..	5	14	8	..	..
LINGCOD	..	..	4	3	..	..
MIDSHIPMAN	..	T	1	4	..	..
PACIFIC COD	T	T	79	58	..	3
WALLEYE POLLOCK	..	..	..	2	..	..
OTHERS	..	T	2	7	..	..
SELACHI						
DOG FISH	16	10	720	972	43	29
RAT FISH	..	..	17	1	..	21
SKATES	..	..	..	18	..	9
OTHERS	..	..	..	..	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	55 JUNE 9 CBHI	56 JUNE 9 CBHI	57 JUNE 9 CBHI	58 JUNE 9 CBHI	59 JUNE 9 CBHI	60 JUNE 10 CBHI
TIME START (PST)	1232	1345	1457	1615	1715	837
DURATION(HR.MIN)	.28	.30	.20	.30	.30	.30
START N. LAT. (DEG) (MIN)	49 38.3	49 38.1	49 41.7	49 41.8	49 43.3	49 34.7
W. LONG. (DEG) (MIN)	124 44.9	124 45.1	124 48.7	124 48.0	124 48.6	124 39.8
DIRECTION (DEG.TRUE)	320	320	330	325	140	137
FINISH N. LAT. (DEG) (MIN)	49 39.4	49 39.2	49 42.9	49 42.9	49 42.2	49 33.7
W.LONG. (DEG) (MIN)	124 46.3	124 46.4	124 49.6	124 48.8	124 47.4	124 38.4
DISTANCE NAUT. MI.	1.4	1.4	1.3	1.3	1.4	1.4
DEPTH (FATHOMS)	75- 64	60- 62	35- 30	53- 54	69- 73	72- 70
SEE FIGURE NO.	12	12	11	11	11	13
SURFACE TEMP(DEG.C)	..	..	..	..	..	16.8
BOTTOM TEMP.(DEG.C)	..	..	..	..	..	8.5
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	47	5	..	297	145	269
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	55	56	57	58	59	60
DATE	JUNE 9	JUNE 9	JUNE 9	JUNE 9	JUNE 9	JUNE 10
AREA	CBHI	CBHI	CBHI	CBHI	CBHI	CBHI
CATCH TOTAL (KG)	47	5	0	297	145	269
SHRIMP						
PINK (BOREALIS)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PINK (JORDANI)	4	..	..	T	6	10
NUM/KG	178	..	..	..	192	156
PRAWN	T	..	..	T	T	..
NUM/KG	..	..	..	..	..	..
SIDESTRIPE	T	..	..	..	T	4
NUM/KG	45	..	..	..	57	54
OTHER SHRIMP	T	..	..	..	T	..
INVERTEBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	..	..	..	1	2	T
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	..	..	..	T	T	..
FLATFISH						
ENGLISH SOLE	..	..	..	T	..	T
FLATHEAD SOLE	..	..	..	2	T	5
SLENDER SOLE	1	..	..	15	2	8
OTHERS	1	..	..	4	..	T
ROCKFISH						
S. DIPLOPRUA	T	..	..	..	17	30
OTHERS	4	..	..	14	3	T
OTHER ROUND FISH						
HAKE	15	5	..	31	48	60
HERRING	..	..	..	..	..	..
LINGCOD	..	..	..	..	..	..
MIDSHIPMAN	T	..	..	..	T	..
PACIFIC COD	1	..	..	..	2	7
WALLEYE POLLOCK	..	..	..	..	2	1
OTHERS	T	..	..	2	T	..
SELACHI						
DOG FISH	12	..	..	41	40	24
RAT FISH	9	T	..	187	23	120
SKATES	..	..	..	..	..	..
OTHERS	..	..	..	..	..	..

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	61 JUNE 10 CUMI	62 JUNE 10 CUMI	63 JUNE 10 CUMI	64 JUNE 10 CUMI	65 JUNE 10 QWFC	66 JUNE 10 QWFC
TIME START (PST)	945	1118	1229	1345	1604	1653
DURATION(MK.MIN)	.30	.30	.30	.30	.06	.30
START N. LAT. (DEG) (MIN)	49 33.8	49 35.5	49 35.1	49 36.6	49 26.0	49 26.8
W. LONG. (DEG) (MIN)	124 37.7	124 38.5	124 36.8	124 37.0	124 34.4	124 33.8
DIRECTION (DEG.TRUE)	315	142	315	135	130	140
FINISH N. LAT. (DEG) (MIN)	49 34.8	49 34.5	49 35.9	49 35.6	49 25.8	49 25.8
W.LONG. (DEG) (MIN)	124 39.1	124 37.3	124 38.1	124 35.6	124 31.1	124 32.5
DISTANCE NAUT. MI.	1.3	1.3	1.2	1.3	.4	1.3
DEPTH (FATHOMS)	80- 80	90- 92	94- 89	70- 90	71- 72	99- 87
SEE FIGURE NO.	13	13	13	13	14	14
SURFACE TEMP.(DEG.C)	..	17.9	..	..	..	19.8
BOTTOM TEMP.(DEG.C)	..	8.8	..	..	..	8.7
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	173	183	121	100	121	284
REMARKS	USABLE	USABLE	USABLE	USABLE	SMAG DUMPED USABLE ALL JUNK	

Appendix table 1 (cont'd)

HAUL NO.	61	62	63	64	65	66
DATE	JUNE 10	JUNE 10	JUNE 10	JUNE 10	JUNE 10	JUNE 10
AREA	CBHI	CBHI	CBHI	CBHI	QBFC	QBFC
CATCH TOTAL (KG)	173	183	121	100	121	284
SHRIMP						
PINK (BOREALIS)	..	..	..	..	..	..
NUM/KG	..	..	..	..	..	..
PINK (JORDANI)	7	2	3	10	3	1*
NUM/KG	160	138	156	228	180	..
PRAWN	..	T	..	1	1	1*
NUM/KG	..	..	..	56	75	..
SIDESTRIPE	6	8	6	2	T	5*
NUM/KG	54	73	68	62	..	..
OTHER SHRIMP	..	T	T	..	..	..
INVERTEBRATES						
JELLYFISH	..	..	..	..	..	..
SQUID	1	T	T	..	..	..
HEART URCHIN	..	..	..	..	..	..
C. MAGISTER	..	..	..	..	..	..
OTHERS	..	T	..	..	..	T
FLATFISH						
ENGLISH SOLE	T	3	..	2	..	..
FLATHEAD SOLE	3	..	..	..	..	..
SLENDER SOLE	3	3	3	2	..	..
OTHERS	T	..	2	..	..	2
ROCKFISH						
S. DIPLOPOMA	3	21	18	3	1	10*
OTHERS	..	1	..	4	1	12
OTHER ROUND FISH						
HAKE	20	12	4	44	81	35*
HERRING	..	..	..	..	..	..
LINGCOD	..	..	..	..	16	..
MIDSHIPMAN	T	..	..	1	..	..
PACIFIC COD	..	2	30	..	2	2*
WALLEYE PULLUCK	4	68	T	5	2	..
OTHERS	T	T	1	..	..	1
SELACHI						
DOG FISH	16	33	37	16	14	140*
RAT FISH	110	25	17	10	..	70*
SKATES	..	5	..	..	..	5*
OTHERS	..	T	..	..	..	..

Appendix table 1 (cont'd)

HAUL NO.	67	68	69	70	71	72
DATE	JUNE 11	JUNE 11	JUNE 14	JUNE 14	JUNE 14	JUNE 14
AREA	QBFC	QBFC	NUCH	CCSC	CCSC	CCSC
TIME START (PST)	801	943	800	1128	1246	1401
DURATION(HR.MIN)	.30	.09	.25	.30	.30	.30
START N. LAT. (DEG)	49	49	49	48	48	48
(MIN)	21.8	21.9	9.9	52.1	53.4	54.7
W. LONG. (DEG)	124	124	123	123	123	123
(MIN)	19.2	18.7	52.6	35.7	37.0	38.7
DIRECTION (DEG.TRUE)	312	318	145	346	327	328
FINISH N. LAT. (DEG)	49	49	49	48	48	48
(MIN)	22.5	22.1	9.1	53.2	54.5	55.7
W.LONG. (DEG)	124	124	123	123	123	123
(MIN)	20.6	19.1	51.7	36.2	38.1	39.7
DISTANCE NAUT. MI.	1.2	.4	1.0	1.2	1.3	1.3
DEPTH (FATHOMS)	72- 71	87- 90	70- 62	112-110	84- 76	69- 62
SEE FIGURE NO.	15	15	16	17	17	18
SURFACE TEMP(DEG.C)	..	17.8	..	..	..	..
BOTTOM TEMP.(DEG.C)	..	8.8	..	..	..	..
TYPE OF GEAR	8	8	8	8	8	8
TOTAL CATCH (KG)	161	41	223	305	289	234
REMARKS	NET TORN USABLE	SNAG UNUSABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	67	68	69	70	71	72
DATE	JUNE 11	JUNE 11	JUNE 14	JUNE 14	JUNE 14	JUNE 14
AREA	QBFC	QBFC	NUCH	CCSC	CCSC	CCSC
CATCH TOTAL (KG)	161	41	223	305	289	234
SHRIMP						
PINK (BOREALIS)	..	..	2	88	5	2
NUM/KG	..	..	260	344	325	350
PINK (JORDANI)	2	1	..	..	3	18
NUM/KG	208	212	..	..	205	252
PRAWN	2	T	1	T	T	3
NUM/KG	59	..	55	..	..	39
SIDESTRIPE	T	1	7	78	65	18
NUM/KG	..	110	98	128	126	132
OTHER SHRIMP	..	T	T	T	..	..
INVERTBRATES						
JELLYFISH	..	..	..	..	10	..
SQUID	T	1	1	..	..	..
HEART URCHIN	..	..	T	96	54	37
C. MAGISTER	..	..	3	1	1	2
OTHERS	..	..	1	4	..	..
FLATFISH						
ENGLISH SOLE	..	..	T	1	1	..
FLATHEAD SOLE	..	..	T	T	4	1
SLENDER SOLE	1	T	..	2	1	6
OTHERS	3	1	8	T	2	T
ROCKFISH						
S. DIPLOPROA	59	5	10	T	4	..
OTHERS	23	T	10	T	8	4
OTHER ROUND FISH						
HAKE	32	7	39	2	10	31
HERRING	..	..	..	..	..	..
LINGCOD	..	3	10	14	2	..
MIDSHIPMAN	..	..	T	..	T	19
PACIFIC COD	6	..	7	6	..	14
WALLEYE POLLOCK	1	..	3	3	2	12
OTHERS	..	..	3	..	..	..
SELACHI						
DUGFISH	19	10	87	..	106	63
RATFISH	13	12	31	10	8	1
SKATES	..	..	T	..	2	1
OTHERS	..	..	..	..	1	2

Appendix table 1 (cont'd)

HAUL NO. DATE AREA	73 JUNE 14 CLSC	74 JUNE 14 CLSC	75 JUNE 15 CLSC	76 JUNE 15 CLSC	77 JUNE 15 CLSC
TIME START (PST)	1607	1735	717	830	940
DURATION(HR.MIN)	.30	.25	.30	.30	.30
START N. LAT. (DEG) (MIN)	48 56.6	48 59.8	49 3.0	49 3.0	49 6.3
W. LONG. (DEG) (MIN)	123 42.6	123 43.4	123 43.7	123 41.2	123 45.9
DIRECTION (DEG.TRUE)	345	321	330	312	153
FINISH N. LAT. (DEG) (MIN)	48 57.9	49 0.8	49 4.5	49 4.0	49 4.9
W.LONG. (DEG) (MIN)	123 43.1	123 44.5	123 44.7	123 43.0	123 44.8
DISTANCE NAUT. MI.	1.3	1.3	1.6	1.6	1.5
DEPTH (FATHOMS)	46- 45	38- 32	37- 33	25- 33	33- 33
SEE FIGURE NO.	18	19	20	20	20
SURFACE TEMP(DEG.C)	17.6	..	15.6	..	..
BOTTOM TEMP.(DEG.C)	9.0	..	9.4	..	..
TYPE OF GEAR	8	8	8	8	8
TOTAL CATCH (KG)	1353	374	796	71	1044
REMARKS	USABLE	USABLE	USABLE	USABLE	USABLE

Appendix table 1 (cont'd)

HAUL NO.	73	74	75	76	77
DATE	JUNE 14	JUNE 14	JUNE 15	JUNE 15	JUNE 15
AREA	CLSC	CLSC	CLSC	CLSC	CLSC
CATCH TOTAL (KG)	1353	374	796	71	1044
SHRIMP					
PINK (BOREALIS)	..	..	..	..	..
NUM/KG	..	..	..	..	..
PINK (JORDANI)	17	T	7	T	3
NUM/KG	244	..	184	..	..
PRAWN	T	..	T	..	T
NUM/KG	..	..	..	..	..
SIDESTRIPE	..	..	T	..	T
NUM/KG	..	..	..	..	..
OTHER SHRIMP	..	..	T	T	T
INVERTBRATES					
JELLYFISH	..	..	..	..	..
SQUID	..	..	..	..	..
HEART URCHIN	..	..	T	..	T
C. MAGISTER	..	..	..	..	..
OTHERS	..	..	T	1	T
FLATFISH					
ENGLISH SOLE	..	..	8	6	11
FLATHEAD SOLE	68	60	72	6	77
SLENDER SOLE	39	19	68	2	77
OTHERS	..	T	1	..	T
ROCKFISH					
S. DIPLOPOUA	..	..	..	..	..
OTHERS	2	2	..	..	..
OTHER ROUND FISH					
HAKE	1000	251	251	15	483
HERRING	..	..	6	8	7
LINGCOD	1	..	T	2	T
MIDSHIPMAN	83	2	15	..	14
PACIFIC COD	10	..	19	1	20
WALLEYE POLLOCK	3	..	3	3	13
OTHERS	T	T	28	10	31
SELACHI					
DOGFISH	118	35	313	16	302
RATFISH	12	5	..	1	3
SKATES	..	..	5	..	3
OTHERS	..	..	..	..	..

Footnotes to Appendix table 1:

AREA: BRIN = Burrard Inlet
SRBK = Sturgeon Bank
SEPI = Sechart to Passage Island
HSKI = Howe Sound - Keats Island
CBHI = Comox Bar - Hornby Island
QBFC = Qualicum Beach - French Creek
NUCH = Northumberland Channel
CCSC = Crofton-Chemainus, Stuart Channel
CLSC = Chemainus-Ladysmith, Stuart Channel

TIME START: Pacific Standard Time

DISTANCE: Nautical miles

TYPE OF GEAR: 8=National Marine Fisheries shrimp sampling trawl

T: Trace